


A series of horizontal yellow lines of varying lengths and thicknesses, creating a dynamic, layered effect at the bottom of the page. The lines are positioned behind the main title and tagline.

# **ZIPPY QUEEN**

**OUTDOOR TECHNICAL BLINDS**



- 1 MOUNT
- 2 ALUMINIUM BOX
- 3 ROLLER TUBE
- 4 BOTTOM BAR
- 5 LATERAL GUIDE
- 5A GUIDE LOCK SYSTEM
- 6 CONTROL
- 7 FABRIC



## ZIPPY QUEEN IS THE TRUE QUEEN OF ZIP WORLD.


ONE OF A KIND, ZIPPY QUEEN COMBINES AN INNOVATIVE DESIGN WITH A SYSTEM ABLE TO SHADE AN AREA UP TO 10 M WIDE WITHOUT ANY TYPE OF BENDING.

IT IS THE IDEAL SOLUTION FOR OFFICES AND HOTELS.

MAXIMUM SUGGESTED SIZE: 10 M X 3 M


### Box

QUEEN ALUMINIUM BOX WITH A FRONTAL INSPECTION WITH CRADLE TO SUPPORT THE ROLLER;  
GALVANIZED IRON END CAPS COATED AS THE ALUMINIUM STRUCTURE.



### MOUNT

CEILING MOUNT WITH BRACKETS.



## EASY MAINTENANCE SYSTEM


ALUMINIUM ROLLER TUBE Ø 63 AND EASY ZIP BOTTOM BAR WITH ZIP HOUSING.

ZIP IS WELDED ON 4 FABRICS SIDES. IT IS VERY IMPORTANT BECAUSE IT SPEEDS UP ASSEMBLY OPERATIONS AS ANY FABRIC REPLACEMENT / MAINTENCE.




## ZIPPY XL BOTTOM BAR WITH ZIP HOUSING

ZIPPY XL BOTTOM BAR WITH PVC GUIDE HOLDER (PVC GUIDE FOR ZIP RETENTION) AND WEIGHT IN THE LOWER PART. IN CASE OF GEAR OPERATION, A LOCK SYSTEM CAN BE INSTALLED ON THE BOTTOM BAR TO MANUALLY TIGHTEN THE FABRIC



## GASKET

ON REQUEST, THERE IS THE POSSIBILITY TO ADD A GASKET PROFILE (13 MM) TO THE BOTTOM BAR. AVAILABLE IN BLACK AND GREY COLOUR.



## GUIDA REGISTRABILE ZIPPY

ZIPPY SIDE GUIDE IS AVAILABLE IN 2 VERSIONS AND CAN BE CHOSEN ACCORDING TO CUSOMER'S NEEDS.

1. ZIPPY GUIDE FOR LATERAL FIXING;
2. ZIPPY GUIDE FOR FRONT FIXING;


ALL ZIPPY SIDE GUIDES ARE ADJUSTABLE AND MADE UP OF 3 ALUMINIUM PROFILES TO RECOVER UP TO 3 CM. OFFSET FOR ZIPPY SIDE GUIDE (1-2).

GUIDE LOCK SYSTEM WITH SCREWS. SCREWS ARE HIDDEN WITH PLASTIC CAPS AVAILABLE IN 4 COLOURS.

BRUSH IS INSTALLED INSIDE THE SIDE GUIDES IN ORDER TO REDUCE NOISE CAUSED BY CONTACT BETWEEN PVC GUIDE AND ALUMINIUM GUIDE.

PVC GUIDE GUARANTEES A PERFECT ZIP RETENTION

ZIP IS WELDED ON 4 FABRIC SIDES (PATENTED SYSTEM). AVAILABLE IN GREY, WHITE AND BLACK COLOUR. (BLACK IS ALWAYS USED WITH BLACKOUT FABRIC).



### SCREW CAPS

ELEGANT NYLON SCREW CAPS ARE AVAILABLE IN 4 COLOURS: BLACK, WHITE, IVORY AND BROWN.



## **CONTROL**

MOTOR CONTROL WITH WIRED DRIVES OR ELECTRONIC SETTING WITH REMOTE CONTROL.  
AVAILABLE MOTORS ARE CHERUBINI, SOMFY AND GAPOSA.

## **FABRIC**

VARIOUS FABRIC ARE USED IN ZIPPY QUEEN SYSTEM: POLYESTER INSECT SCREEN MAGICSCREEN, SOLTIS SHADING AND OPATEX BLACKOUT FABRIC.

MAGICSCREEN IS AVAILABLE IN BLACK COLOUR.

IT IS SO STRONG THAT IT RETURNS TO THE CORRECT POSITION IF IT EXPERIENCES SMALL PERFORATIONS.

## **WELDING**

ALL FABRICS ARE HORIZONTALLY WELDED.

**COATING AND SCREWS** ALL ALUMINIUM PROFILES UNDERGO AN OPEN-PORE ANODIC OXIDATION PRETREATMENT.

THEN, THE POWDER COATING ON THE ALUMINIUM HAS HIGH MECHANICAL PROPERTIES AND INCREASE PROTECTION AGAINST CORROSION AND AGGRESSIVE ATMOSPHERE.

STAINLESS STEEL SCREWS.

## **WIND RESISTANCE**

GARATTONI TESTS ALL AWNINGS TO CHECK THEY RESIST TO WIND IN ACCORDANCE TO UNI EN 13561.

TESTED SIZE: 10 M X 3 M – CLASS 6 (102 KM/H)









**TESTED SAMPLE**  
**10 x 3 MT**



**ISTITUTO  
GIORDANO**

# Garattoni

LIVING | INNOVATION

**GARATTONI DARIO DI R.I.**

VIA DEL SALICE, 8 - 47822 SANTARCANGELO DI ROMAGNA (RN)

TEL. 0039.0541.625648

WWW.GARATTONIDARIO.COM - INFO@GARATTONIDARIO.COM

